

60" Dorian Eco CF515

MODEL FEATURES

- 60" Blade Span
- 5 Curved Solid Wood Blades
- Premium DC EcoMotor
- Integrated Dimmable LED Light Fixture with Shatter-Resistant Opal Matte Shade
- 6-Speed Wall Control with Canopy Mount Receiver
- 6" Downrod








PERFORMANCE SPECIFICATIONS

Speed	Airflow	Electricity Use	Airflow Efficiency	RPM
Special Control of the Control of th	Cubic Ft. Per Min.	Watts (Excl. Lights)	Cubic Ft. Per Min. Per Watt	Revolutions per Minute
High	6681	33	203	120
Low	2788	3	835	50

Blade	Accepts	Amps		LED Specifications		
Pitch	2.5" DR		Lumens	Watts	CRI	CCT (K)
13°	N	0.5	1500	18	90	3000

		Manual/Remote Reverse Switch		Downrod Length	Motor Lead Lengths
6-Speed Wall Control	Y	Remote	Y	6"	80"

ENERGYGUIDE INFORMATION



High and Low speeds tested with the downrod supplied.

60" DORIAN ECO



B. Shown in Brushed Steel with Curved Solid Wood Charcoal Blades and Opal Matte Shade



C. Shown in Oil Rubbed Bronze with Curved Solid Wood Natural Blades and Opal Matte Shade

- A. 60" DORIAN ECO BRUSHED STEEL
 CF515CO60BS Curved Solid Wood Coffee Blades,
 Opal Matte Shade
- B. 60" DORIAN ECO BRUSHED STEEL
 CF515CR60BS Curved Solid Wood Charcoal Blades, Opal Matte Shade
- C. 60" DORIAN ECO OIL RUBBED BRONZE
 CF515NA60ORB Curved Solid Wood Natural Blades,
 Opal Matte Shade


D. Shown in Graphite with Curved Solid Wood Timber Gray Blades and Opal Matte Shade

 D. 60" DORIAN ECO – GRAPHITE
 CF515TM60GRT - Curved Solid Wood Timber Gray Blades, Opal Matte Shade



SHIPPING SPECIFICATIONS: Carton Weight: 21.20 LBS | Length: 32.50" | Width: 18.50" | Depth: 10.25"

Product Dimensions & Weight



A. Total Fan Height: 13.5"

B. Bottom of Blade to Ceiling: 12.5"

C. Width of Housing: 10.2"

D. Width of Canopy: **7.5"**Motor Size (mm): **165 DC**Product Weight: **15.2** LBS

Included



6-Speed Wall Control with Canopy Mount Receiver

Optional Control



SR600 6-Speed Remote Control



60" Dorian Eco CF515

MODEL FEATURES

- 60" Blade Span
- 5 Curved Solid Wood Blades
- Premium DC EcoMotor
- Integrated Dimmable LED Light Fixture with Shatter-Resistant Opal Matte Shade
- 6-Speed Wall Control with Canopy Mount Receiver
- 6" Downrod








PERFORMANCE SPECIFICATIONS

Speed	Airflow	Electricity Use	Airflow Efficiency	RPM
Speed	Cubic Ft. Per Min.	Watts (Excl. Lights)	Cubic Ft. Per Min. Per Watt	Revolutions per Minute
High	6681	33	203	120
Low	2788	3	835	50

Blade	Accepts	Amps		LED Spec		
Pitch	2.5" DR	•	Lumens	Watts	CRI	CCT (K)
13°	N	0.5	1500	18	90	3000

		Manual/Remote Reverse Switch		Downrod Length	Motor Lead Lengths
6-Speed Wall Control	Y	Remote	Y	6"	80"

ENERGYGUIDE INFORMATION



Energy information listed above is a weighted average of High and Low speeds tested with the downrod supplied.

60" DORIAN ECO



F. Shown in Brushed Steel with Curved Solid Wood Natural Blades and Opal Matte Shade



G. Shown in Oil Rubbed Bronze with Curved Solid Wood Coffee Blades and Opal Matte Shade

- E. 60" DORIAN ECO BRUSHED STEEL
 CF515TM60BS Curved Solid Wood Timber Gray Blades,
 Opal Matte Shade
- F. 60" DORIAN ECO BRUSHED STEEL CF515NA60BS - Curved Solid Wood Natural Blades, Opal Matte Shade
- G. 60" DORIAN ECO OIL RUBBED BRONZE
 CF515CO60ORB Curved Solid Wood Coffee Blades, Opal Matte Shade
- H. 60" DORIAN ECO GRAPHITE


 CF515CR60GRT Curved Solid Wood Charcoal Blades,
 Opal Matte Shade



H. Shown in Graphite with Curved Solid Wood Charcoal Blades and Opal Matte Shade

SHIPPING SPECIFICATIONS: Carton Weight: 21.20 LBS | Length: 32.50" | Width: 18.50" | Depth: 10.25"

Product Dimensions & Weight



- A. Total Fan Height: 13.5"
- B. Bottom of Blade to Ceiling: 12.5"
- C. Width of Housing: 10.2"
- D. Width of Canopy: **7.5**"

Motor Size (mm): **165 DC** Product Weight: **15.2** LBS

Included



6-Speed Wall Control with Canopy Mount Receiver

Optional Control



SR600 6-Speed Remote Control